

1.	VESSEL DESCRIPTION		
1.1	Date updated:	May 31, 2017	
1.2	Vessel's name:	MTM Singapore	
1.3	IMO number:	9477529	
1.4	Vessel's previous name(s) and date(s) of change:	NA	
1.5	Date delivered:	Jan 06, 2011	
1.6	Builder (where built):	Usuki Shipyard Co.Ltd.	
1.7	Flag:	Hong Kong	
1.8	Port of Registry:	Hong Kong	
1.9	Call sign:	VRHU2	
1.10	Vessel's satcom phone number:	+65 3158 4074 / +1 401 371 9550 / + 881 677 745 831	
	Vessel's fax number:	NA	
	Vessel's telex number:	447703287	
	Vessel's email address:	master.msg@mtmship.com	
1.11	Type of vessel:	Chemical Tanker	
1.12	Type of hull:	Double Hull	
Classification			
1.13	Classification society:	Nippon Kaiji Kyokai	
1.14	Class notation:	NS*(CT II & III) (ESP)MNS*	
1.15	If Classification society changed, name of previous society:	NA	
1.16	If Classification society changed, date of change:	NA	
1.17	IMO type, if applicable:	2,3	
1.18	Does the vessel have ice class? If yes, state what level:	No,	
1.19	Date / place of last dry-dock:	Jan 20, 2016	Zhoushan
1.20	Date next dry dock due	Jan 19, 2019	
1.21	Date of last special survey / next survey due:	Jan 20, 2016	Jan 05, 2021
1.22	Date of last annual survey:	Jan 23, 2017	
1.23	If ship has Condition Assessment Program (CAP), what is the latest overall rating:	NA	
1.24	Does the vessel have a statement of compliance issued under the provisions of the Condition Assessment Scheme (CAS): If yes, what is the expiry date?	NA	
Dimensions			
1.25	Length Over All (LOA):	145.53 Metres	
1.26	Length Between Perpendiculars (LBP):	137.00 Metres	
1.27	Extreme breadth (Beam):	23.73 Metres	
1.28	Moulded depth:	13.35 Metres	
1.29	Keel to Masthead (KTM) / KTM in collapsed condition (if applicable):	37.40 Metres	
1.30	Bow to Center Manifold (BCM) / Stern to Center Manifold (SCM):	73.69 Metres	71.84 Metres
1.31	Distance bridge front to center of manifold:	45.43 Metres	
1.32	Parallel body distances:	Lightship	Normal Ballast
	Forward to mid-point manifold:	23.01 Metres	24.41 Metres
	Aft to mid-point manifold:	24.17 Metres	29.14 Metres
	Parallel body length:	47.18 Metres	53.55 Metres
1.33	FWA at summer draft / TPC immersion at summer draft:	219 Millimetres	28.90 Metric Tonnes
1.34	What is the max height of mast above waterline (air draft)	Full Mast	Collapsed Mast
	Lightship:	33.82 Metres	0 Metres
	Normal ballast:	31.75 Metres	0 Metres
	At loaded summer deadweight:	27.685 Metres	0 Metres
Tonnages			
1.35	Net Tonnage:	6,280.00	
1.36	Gross Tonnage / Reduced Gross Tonnage (if applicable):	11,643.00	9564.00
1.37	Suez Canal Tonnage - Gross (SCGT) / Net (SCNT):	12,270.75	10,878.11

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

1.38	Panama Canal Net Tonnage (PCNT):			9,796.00	
Loadline Information					
1.39	Loadline Annex I	Freeboard	Draft	Deadweight	Displacement
	Summer:	3.665 Metres	9.715 Metres	19,996.67 Metric Tonnes	25,308.17 Metric Tonnes
	Winter:	3.867 Metres	9.513 Metres	19,415.82 Metric Tonnes	24,727.32 Metric Tonnes
	Tropical:	3.463 Metres	9.917 Metres	20,580.30 Metric Tonnes	25,891.80 Metric Tonnes
	Lightship:	11.05 Metres	2.33 Metres		5,311.50 Metric Tonnes
	Normal Ballast Condition:	7.71 Metres	5.67 Metres	8,717.66 Metric Tonnes	14,029.16 Metric Tonnes
1.39	Loadline Annex II	Freeboard	Draft	Deadweight	Displacement
	Summer:	3.555 Metres	9.825 Metres	20,314.15 Metric Tonnes	25,625.65 Metric Tonnes
	Winter:	3.759 Metres	9.621 Metres	19,726.02 Metric Tonnes	25,037.52 Metric Tonnes
	Tropical:	3.351 Metres	10.029 Metres	20,905.06 Metric Tonnes	26,216.56 Metric Tonnes
	Lightship:	11.05 Metres	2.33 Metres		5,311.50 Metric Tonnes
	Normal Ballast Condition:	7.71 Metres	5.67 Metres	8,717.66 Metric Tonnes	14,029.16 Metric Tonnes
1.40	Does vessel have multiple SDWT?			Yes	
1.41	If yes, what is the maximum assigned deadweight?			20,314.15 Metric Tonnes	
Ownership and Operation					
1.42	Registered owner - Full style:			MTM SINGAPORE LLC RM. 311, New East Ocean Centre. 9 Science Museum Road, Tsim Sha Tsui, Kowloon, Hong Kong. Tel: (852) 25289338 Fax: (852) 25202509 Telex: RS28152 Email: protective@mtmm.com.hk Company IMO#: 4164347	
1.43	Technical operator - Full style:			MTM SHIP MANAGEMENT PTE LTD. 78 SHENTON WAY, #13-01 SINGAPORE 079120 Tel: +65 6304 1770 Fax: +65 6220 7988 Email: marine@mtmsm.com Web: www.mtmshipmanagement.com Company IMO#: 1314037	
1.44	Commercial operator - Full style:			M.T. Maritime Management (USA) LLC 2960 Post Road, Southport, Connecticut 06890 USA Tel: 1 203 226 7882 Fax: 1 203 226 8934 Email: operations@mtmaritime.com Web: www.mtmaritime.com	
1.45	Disponent owner - Full style:			MTM Trading LLC Trust Company Complex, Ajeltake Island, Ajeltake Road, Majuro, Marshall Islands MH 96960	

2.	CERTIFICATION	Issued	Last Annual or Intermediate	Expires
2.1	Safety Equipment Certificate:	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021
2.2	Safety Radio Certificate:	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021
2.3	Safety Construction Certificate:	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021
2.4	Loadline Certificate:	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

2.5	International Oil Pollution Prevention Certificate (IOPPC):	Oct 20, 2016	Jan 23, 2017	Jan 05, 2021
2.6	Safety Management Certificate (SMC):	Feb 15, 2016	Not Applicable	Feb 04, 2021
2.7	Document of Compliance (DOC):	Sep 02, 2016	Not Applicable	Sep 16, 2021
2.8	USCG (specify: COC, LOC or COI): COC	Dec 02, 2016	Not Applicable	Dec 02, 2018
2.9	Civil Liability Convention Certificate (CLC):	Feb 20, 2017		Feb 20, 2018
2.10	Civil Liability for Bunker Oil Pollution Damage Convention Certificate (CLBC):	Feb 20, 2017		Feb 20, 2018
2.11	U.S. Certificate of Financial Responsibility (COFR):	Jan 06, 2017		Jan 06, 2017
2.12	Certificate of Fitness (Chemicals):	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021
2.13	Certificate of Fitness (Gas):	Not Applicable	Not Applicable	Not Applicable
2.14	Certificate of Class:	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021
2.15	International Ship Security Certificate (ISSC):	Feb 15, 2016	Not Applicable	Feb 04, 2021
2.16	International Sewage Pollution Prevention Certificate (ISPPC)	Mar 11, 2016		Jan 05, 2021
2.17	International Air Pollution Prevention Certificate (IAPP):	Mar 11, 2016	Jan 23, 2017	Jan 05, 2021

Documentation

2.18	Does vessel have all updated publications as listed in the Vessel Inspection Questionnaire, Chapter 2- Question 2.24, as applicable:	Yes
2.19	Owner warrant that vessel is member of ITOPF and will remain so for the entire duration of this voyage/contract:	Yes

3.	CREW MANAGEMENT	
3.1	Nationality of Master:	Burmese
3.2	Nationality of Officers:	Burmese
3.3	Nationality of Crew:	Burmese, Sri Lankan
3.4	If Officers/Crew employed by a Manning Agency - Full style:	Officers/ Crew : Directly employed by Technical Operator
3.5	What is the common working language onboard:	English
3.6	Do officers speak and understand English:	Yes
3.7	In case of Flag Of Convenience, is the ITF Special Agreement on board:	N/A

4.	HELICOPTERS	
4.1	Can the ship comply with the ICS Helicopter Guidelines:	NA
4.2	If Yes, state whether winching or landing area provided:	NA

5.	FOR USA CALLS	
5.1	Has the vessel Operator submitted a Vessel Spill Response Plan to the US Coast Guard which has been approved by official USCG letter:	Yes
5.2	Qualified individual (QI) - Full style:	ECM Maritime Service 1 Selleck Street 5th Floor, Suite 511 Norwalk, CT 06855 Tel: 1 203 857 0444 Fax: 1 203 857 0428 Email: ecm@ecmmaritime.com Web: www.ecmmaritime.com
5.3	Oil Spill Response Organization (OSRO) -Full style:	National Response Corporation 3500 Sunrise Hwy Ste. T103 Great River, NY 11739 Tel: 1.800.899.4672 Fax: 1.631.224.9086 Email: iocdo@nrcc.com
5.4	Has technical operator signed the SCIA / C-TPAT agreement with US customs concerning drug smuggling:	No

6.	CARGO AND BALLAST HANDLING	
Double Hull Vessels		

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

6.1	Is vessel fitted with centerline bulkhead in all cargo tanks:	Yes		
6.2	If Yes, is bulkhead solid or perforated:	Solid		
Cargo Tank Capacities				
6.3	Capacity (98%) of each natural segregation with double valve (specify tanks):	Seg#1: 1275.091 m3 (1 Wings) Seg#2: 2431.808 m3 (2 Wings) Seg#3: 2444.640 m3 (3 Wings) Seg#4: 2695.700 m3 (4 Wings) Seg#5: 1258.156 m3 (5 Wings) Seg#6: 2338.189 m3 (6 Wings) Seg#7: 2159.481 m3 (7 Wings) Seg#8: 2340.414 m3 (8 Wings) Seg#9: 2332.905 m3 (9 Wings) Seg#10: 1563.734 m3 (10 Wings) Seg#11: 1352.121 m3 (11 Wings) (Total 22 tanks of each natural segregation with double valve.)		
6.4	Total cubic capacity (98%, excluding slop tanks):	22,192.239 Cu. Metres (slop tanks are also cargo tanks)		
6.5	Slop tank(s) capacity (98%):	0 Cu. Metres		
6.6	Residual/Retention oil tank(s) capacity (98%), if applicable:	51.4 Cu. Metres		
6.7	Does vessel have Segregated Ballast Tanks (SBT) or Clean Ballast Tanks (CBT):	SBT		
SBT Vessels				
6.8	What is total capacity of SBT?	7,120.02 Cu. Metres		
6.9	What percentage of SDWT can vessel maintain with SBT only:	35.90 %		
6.10	Does vessel meet the requirements of MARPOL Annex I Reg 18.2: (previously Reg 13.2)	Yes		
Cargo Handling				
6.11	How many grades/products can vessel load/discharge with double valve segregation:	22		
6.12	Maximum loading rate for homogenous cargo per manifold connection:	285 Cu. Metres/Hour		
6.13	Maximum loading rate for homogenous cargo loaded simultaneously through all manifolds:	1,140.00 Cu. Metres/Hour		
6.14	Are there any cargo tank filling restrictions. If yes, please specify:	Yes, DSG 1.5		
Pumping Systems				
6.15	Pumps:	No.	Type	Capacity
	Cargo:	22	Centrifugal	200 M3/HR
	Stripping:			
	Eductors:			
	Ballast:	2	Centrifugal	300 Cu. Metres/Hour
6.16	How many cargo pumps can be run simultaneously at full capacity:	4		
Cargo Control Room				
6.17	Is ship fitted with a Cargo Control Room (CCR):	Yes		
6.18	Can tank innage / ullage be read from the CCR:	Yes		
Gauging and Sampling				
6.19	Can ship operate under closed conditions in accordance with ISGOTT:	Yes		
6.20	What type of fixed closed tank gauging system is fitted:	Float Gauge		
6.21	Are overfill (high-high) alarms fitted? If Yes, indicate whether to all tanks or partial:	All tanks		
Vapor Emission Control				
6.22	Is a vapor return system (VRS) fitted:	Yes		
6.23	Number/size of VRS manifolds (per side):	2	150 Millimetres	
Venting				
6.24	State what type of venting system is fitted:	P/V Valve		
Cargo Manifolds				
6.25	Does vessel comply with the latest edition of the OCIMF 'Recommendations for Oil Tanker Manifolds and Associated Equipment':	NA		

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

6.26	What is the number of cargo connections per side:	22
6.27	What is the size of cargo connections:	150.00 Millimetres
6.28	What is the material of the manifold:	Stainless Steel SUS 316L

Manifold Arrangement

6.29	Distance between cargo manifold centers:	350.00 Millimetres	
6.30	Distance ships rail to manifold:	4,200.00 Millimetres	
6.31	Distance manifold to ships side:	4,350.00 Millimetres	
6.32	Top of rail to center of manifold:	550.00 Millimetres	
6.33	Distance main deck to center of manifold:	2,420.00 Millimetres	
6.34	Manifold height above the waterline in normal ballast / at SDWT condition:	10.13 Metres	6.31 Metres
6.35	Number / size reducers:	1 x 100/150mm (4/6") 1 x 150/200mm (6/8") 1 x 150/250mm (6/10") 1 x 250/300mm (10/12")	

Stern Manifold

6.36	Is vessel fitted with a stern manifold:	No
6.37	If stern manifold fitted, state size:	

Cargo Heating

6.38	Type of cargo heating system?	Steam	
6.39	If fitted, are all tanks coiled?	Yes	
6.40	If fitted, what is the material of the heating coils:	SS	
6.41	Maximum temperature cargo can be loaded/maintained:	80.0 °C / 176.0 °F	65 °C / 149 °F

Tank Coating

6.42	Are cargo, ballast and slop tanks coated?	Coated	Type	To What Extent
	Cargo tanks:	NA	All Cargo Tanks Stainless Steel SUS316L	
	Ballast tanks:	Yes	Expoxy	Good
	Slop tanks:	NA	Stainless Steel SUS 316L	
6.43	If fitted, what type of anodes are used:	Zinc		

7. INERT GAS AND CRUDE OIL WASHING

7.1	Is an Inert Gas System (IGS) fitted:	Yes
7.2	Is IGS supplied by flue gas, inert gas (IG) generator and/or nitrogen:	Nitrogen Generator
7.3	Is a Crude Oil Washing (COW) installation fitted:	N/A

8. MOORING

8.1	Mooring wires (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck fwd:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck aft:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Poop deck:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
8.2	Wire tails	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck fwd:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck aft:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Poop deck:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
8.3	Mooring ropes (on drums)	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	4	64.00 Millimetres	Mixed PP/PE	220.00 Metres	59.22 Metric Tonnes
	Main deck fwd:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck aft:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Poop deck:	4	55.00 Millimetres	Mixed PP/PE	227.00 Metres	46.70 Metric Tonnes
8.4	Other mooring lines	No.	Diameter	Material	Length	Breaking Strength
	Forecastle:	1	64.00 Millimetres	Mixed PP/PE	220.00 Metres	59.22 Metric Tonnes

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

	Main deck fwd:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Main deck aft:	0	0 Millimetres	0	0 Metres	0 Metric Tonnes
	Poop deck:	1	55.00 Millimetres	Mixed PP/PE	227.00 Metres	46.70 Metric Tonnes
8.5	Mooring winches			No.	# Drums	Brake Capacity
	Forecastle:			4	Double Drums	29.20 Metric Tonnes
	Main deck fwd:			0		0 Metric Tonnes
	Main deck aft:			0		0 Metric Tonnes
	Poop deck:			4	Double Drums	27.90 Metric Tonnes
8.6	Mooring bitts			No.		SWL
	Forecastle:			6		70 Metric Tonnes
	Main deck fwd:			4		56 Metric Tonnes
	Main deck aft:			4		56 Metric Tonnes
	Poop deck:			6		70 Metric Tonnes
8.7	Closed chocks and/or fairleads of enclosed type			No.		SWL
	Forecastle:			3		62 Metric Tonnes
	Main deck fwd:			2		62 Metric Tonnes
	Main deck aft:			3		62 Metric Tonnes
	Poop deck:			2		62 Metric Tonnes
Emergency Towing System						
8.8	Type / SWL of Emergency Towing system forward:			Chafing Chain		100 Metric Tonnes
8.9	Type / SWL of Emergency Towing system aft:			Towing Pennant		100 Metric Tonnes
Anchors						
8.10	Number of shackles on port cable:					10
8.11	Number of shackles on starboard cable:					10
Escort Tug						
8.12	What is SWL and size of closed chock and/or fairleads of enclosed type on stern:			100.00 Metric Tonnes		840mm x 400mmx750mm
8.13	What is SWL of bollard on poopdeck suitable for escort tug:					72.00 Metric Tonnes
Bow/Stern Thruster						
8.14	What is brake horse power of bow thruster (if fitted):			829.00 bhp		618.18 Kilowatt
8.15	What is brake horse power of stern thruster (if fitted):					0 Kilowatt
Single Point Mooring (SPM) Equipment						
8.16	Does vessel comply with the latest edition of OCIMF 'Recommendations for Equipment Employed in the Mooring of Vessels at Single Point Moorings (SPM)':					NA
8.17	Is vessel fitted with chain stopper(s):					No
8.18	How many chain stopper(s) are fitted:			0		
8.19	State type of chain stopper(s) fitted:					
8.20	Safe Working Load (SWL) of chain stopper(s):					0 Metric Tonnes
8.21	What is the maximum size chain diameter the bow stopper(s) can handle:					
8.22	Distance between the bow fairlead and chain stopper/bracket:					
8.23	Is bow chock and/or fairlead of enclosed type of OCIMF recommended size (600mm x 450mm)? If not, give details of size:					N/A
Lifting Equipment						
8.24	Derrick / Crane description (Number, SWL and location):					Cranes: 1 x 5.00 Tonnes, center
8.25	What is maximum outreach of cranes / derricks outboard of the ship's side:					5 Metres
Ship To Ship Transfer (STS)						
8.26	Does vessel comply with recommendations contained in OCIMF/ICS Ship To Ship Transfer Guide (Petroleum or Liquefied Gas, as applicable):					Yes
9.	MISCELLANEOUS					
Engine Room						
9.1	What type of fuel is used for main propulsion?					IFO 380 cst
9.2	What type of fuel is used in the generating plant?					IFO 380 Cst
9.3	Capacity of bunker tanks - IFO and MDO/MGO:				1,023.14 Cu. Metres	81.50 Cu. Metres

INTERTANKO'S STANDARD TANKER CHARTERING QUESTIONNAIRE 88 (Q88)

			0 Cu. Metres
9.4	Is vessel fitted with fixed or controllable pitch propeller(s)?	Fixed	
Insurance			
9.5	P & I Club - Full Style:	THE NORTH OF ENGLAND The North of England P & I Association, The Quayside, Newcastle upon Tyne, NE13DU UK Tel: 44-1912325221 Fax: 44-1912610540 Email: general@nepia.com Web: www.nepia.com	
9.6	P & I Club coverage - pollution liability coverage:	1,000,000,000 US\$	
Port State Control			
9.7	Date and place of last Port State Control inspection:	Mar 20, 2017 / Gresik, Indonesia	
9.8	Any outstanding deficiencies as reported by any Port State Control:	No	
9.9	If yes, provide details:	n/a	
Recent Operational History			
9.10	Has vessel been involved in a pollution, grounding, serious casualty or collision incident during the past 12 months? If yes, full description:	Pollution: No, Grounding: No , Serious casualty: No , Collision: No ,	
9.11	Last three cargoes / charterers / voyages (Last / 2nd Last / 3rd Last):	Private and Confidential as per Charter Party. Please contact owner for detail.	
Vetting			
9.12	Date/Place of last SIRE Inspection:	Apr 24, 2017 / Rotterdam, Netherlands	
9.13	Date/Place of last CDI Inspection:	Jan 25, 2016 / Niihama, Japan	
9.14	Recent Oil company inspections/screenings (To the best of owners knowledge and without guarantee of acceptance for future business)*: * "Approvals" are not given by Oil Majors and ships are accepted for the voyage on a case by case basis.	BP	

 Version 3 (www.Intertanko.com / www.Q88.com)

 Form completed on <http://www.q88.com/integration.aspx> Please email support@q88.com an updated copy if this is not the latest version.

To the best of owners knowledge all information is true and given without any guarantee